

**SAFETY DATA SHEET**

Issue Date 23-Jun-2011

Revision Date 3-Mar-2018

Version 1

**1. PRODUCT AND COMPANY IDENTIFICATION****Product Identifier****Product Name** Smart Strip**Other Means of Identification****SDS #** DCI-039**Recommended Use of the Chemical and Restrictions on Use****Recommended Use** Paint remover.**Details of the Supplier of the Safety Data Sheet****Supplier Address**Dumond Chemicals, Inc.  
1475 Phoenixville Rd. Suite 18  
West Chester, Pa 19380**Emergency Telephone Number****Company Phone Number** 1-609-655-7700  
**Emergency Telephone** INFOTRAC 1-352-323-3500 (International)  
1-800-535-5053 (North America)**2. HAZARDS IDENTIFICATION****Classification**

Skin corrosion/irritation

Category 2

**Signal Word****Warning****Hazard Statements**

Causes skin irritation

**Appearance** White viscous liquid**Physical State** Liquid**Odor** Faint aromatic odor**Hazards Not Otherwise Classified (HNOC)**May be harmful if swallowed  
May be harmful in contact with skin**Other Hazards**Toxic to aquatic life with long lasting effects  
Toxic to aquatic life

### 3. COMPOSITION/INFORMATION ON INGREDIENTS

Chemical Name	CAS No	Weight-%
Water	7732-18-5	40-60
Benzyl alcohol	100-51-6	30-50
Titanium dioxide	13463-67-7	1-5

### 4. FIRST AID MEASURES

#### First Aid Measures

<b>Inhalation</b>	Remove to fresh air. Oxygen or artificial respiration if needed. Get medical attention if necessary.
<b>Eye Contact</b>	Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. Get medical attention if necessary.
<b>Ingestion</b>	If conscious give 2 glasses of water to dilute. Do NOT induce vomiting. Never give anything by mouth to an unconscious person. Get medical attention if necessary.
<b>Skin Contact</b>	Wash thoroughly with soap and water until no traces of the chemical remain. Remove contaminated clothing and shoes. Get medical attention if irritation occurs.

#### Most Important Symptoms and Effects, both Acute and Delayed

<b>Symptoms</b>	May cause skin and eye irritation. May be harmful if absorbed through the skin. Mists and vapors cause irritation of the eyes, mucous membranes, and upper respiratory tract.
-----------------	---

#### Indication of any Immediate Medical Attention and Special Treatment Needed

<b>Note to Physicians</b>	Treat symptomatically. Individuals with chronic respiratory or skin diseases may be at risk from exposure.
---------------------------	--

### 5. FIRE-FIGHTING MEASURES

#### Suitable Extinguishing Media

Water spray (fog). Foam. Dry chemical or CO<sub>2</sub>.

**Unsuitable Extinguishing Media** Not determined.

#### Specific Hazards Arising from the Chemical

Decomposition may be hazardous. Vapors may form explosive mixtures with air in confined areas. Sealed containers may rupture when heated. Cool containers exposed to flames with water until well after the fire is out.

#### Protective Equipment and Precautions for Firefighters

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear.

### 6. ACCIDENTAL RELEASE MEASURES

#### Personal Precautions, Protective Equipment and Emergency Procedures

<b>Personal Precautions</b>	Use personal protective equipment as required.
<b>Environmental Precautions</b>	Do not allow into any sewer, on the ground or into any body of water. See Section 12 for additional ecological information.

**Methods and Material for Containment and Cleaning Up**

**Methods for Containment** Prevent further leakage or spillage if safe to do so. Remove all sources of ignition. Dike spill and prevent spill from entering sewers and waterways. Collect using an inert absorbent material and place in appropriate containers for disposal.

**Methods for Cleaning Up** Keep in suitable, closed containers for disposal. Wash spill area with plenty of water. Spills and releases may have to be reported to Federal and/or local authorities. See section 15.

**7. HANDLING AND STORAGE****Precautions for Safe Handling**

**Advice on Safe Handling** Use personal protective equipment as required. Avoid contact with skin, eyes or clothing. Protect container from physical damage. Avoid breathing vapors or mists. Remove contaminated clothing and shoes. Wash thoroughly after handling before eating, drinking, smoking, or using toilet facilities. Since empty container retains residue, follow all label warnings even after container is empty.

**Conditions for Safe Storage, Including any Incompatibilities**

**Storage Conditions** Keep containers tightly closed in a dry, cool and well-ventilated place. Keep away from oxidizers and incompatible materials.

**Incompatible Materials** Strong acids. Bases. Reducing agent. Strong oxidizing agents.

**8. EXPOSURE CONTROLS/PERSONAL PROTECTION****Exposure Guidelines**

Chemical Name	ACGIH TLV	OSHA PEL	NIOSH IDLH
Titanium dioxide 13463-67-7	TWA: 10 mg/m <sup>3</sup>	TWA: 15 mg/m <sup>3</sup> total dust (vacated) TWA: 10 mg/m <sup>3</sup> total dust	IDLH: 5000 mg/m <sup>3</sup>

**Appropriate Engineering Controls**

**Engineering Controls** For operations where contact can occur, a safety shower and an eye wash facility should be available. Provide natural or mechanical ventilation to control exposure levels below airborne exposure limits.

**Individual Protection Measures, such as Personal Protective Equipment**

**Eye/Face Protection** Chemical safety goggles/faceshield. Do not wear contact lenses.

**Skin and Body Protection** Wear impervious protective clothing, including boots, gloves, lab coat, apron or coveralls, as appropriate, to prevent skin contact. Butyl rubber or other impervious gloves are required.

**Respiratory Protection** If occupational exposure limits are exceeded, use NIOSH approved respirator with organic vapor cartridges and dust/mist pre-filter. For higher concentrations (greater than 10 times the recommended exposure limit) an approved supplied air respirator (with escape bottle if required) or self-contained breathing apparatus may be required. Selection of respiratory protection depends on the contaminant type, form, and concentration. Select in accordance with OSHA 1910.134 and good industrial hygiene practice.

**General Hygiene Considerations** Handle in accordance with good industrial hygiene and safety practice.

**9. PHYSICAL AND CHEMICAL PROPERTIES**

**Information on Basic Physical and Chemical Properties**

<b>Physical State</b>	Liquid	<b>Odor</b>	Faint aromatic odor
<b>Appearance</b>	White viscous liquid	<b>Odor threshold</b>	Not determined
<b>Color</b>	White		

<b>Property</b>	<b>Values</b>	<b>Remarks • Method</b>
<b>pH</b>	6	
<b>Melting point/freezing point</b>	-15 °C / 5 °F	
<b>Boiling point/boiling range</b>	96 °C / 205 °F	
<b>Flash point</b>	None	
<b>Evaporation rate</b>	< 1	
<b>Flammability (solid, gas)</b>	Not determined	
<b>Flammability limits in air</b>		
<b>Upper flammability limits</b>	Not available	
<b>Lower flammability limit</b>	Not available	
<b>Vapor pressure</b>	0.1 mmHg	@ 30 °C
<b>Vapor density</b>	3-4	(Air=1)
<b>Specific gravity</b>	10.54 lbs/gal	
<b>Water solubility</b>	Partially soluble	
<b>Solubility in other solvents</b>	Not determined	
<b>Partition coefficient</b>	Not available	
<b>Autoignition temperature</b>	Not available	
<b>Decomposition temperature</b>	Not determined	
<b>Kinematic viscosity</b>	Not determined	
<b>Dynamic viscosity</b>	Not determined	
<b>Explosive properties</b>	Not determined	
<b>Oxidizing Properties</b>	Not determined	

**Other Information**

<b>VOC Content (%)</b>	0%
<b>VOC Content</b>	0 lbs/gal

**10. STABILITY AND REACTIVITY****Reactivity**

Not reactive under normal conditions

**Chemical Stability**

Stable under recommended storage conditions.

**Possibility of Hazardous Reactions**

None under normal processing.

**Conditions to Avoid**

Keep out of reach of children.

**Incompatible Materials**

Strong acids. Bases. Reducing agent. Strong oxidizing agents.

**Hazardous Decomposition Products**

Carbon monoxide. Carbon dioxide (CO<sub>2</sub>). Nitrogen oxides (NO<sub>x</sub>). May oxidize with air to form benzaldehyde and benzoic acid.

**11. TOXICOLOGICAL INFORMATION****Information on Likely Routes of Exposure****Product Information**

<b>Inhalation</b>	Avoid breathing vapors or mists.
<b>Eye Contact</b>	Avoid contact with eyes.
<b>Skin Contact</b>	May be harmful in contact with skin.
<b>Ingestion</b>	May be harmful if swallowed.

**Component Information**

Chemical Name	Oral LD50	Dermal LD50	Inhalation LC50
Water 7732-18-5	> 90 mL/kg ( Rat )	-	-
Benzyl alcohol 100-51-6	= 1230 mg/kg ( Rat )	= 2000 mg/kg ( Rabbit )	= 8.8 mg/L ( Rat ) 4 h
Titanium dioxide 13463-67-7	> 10000 mg/kg ( Rat )	-	-

**Information on Physical, Chemical and Toxicological Effects**

**Symptoms** May cause skin and eye irritation. May be harmful if absorbed through the skin. Mists and vapors cause irritation of the eyes, mucous membranes, and upper respiratory tract.

**Delayed and Immediate Effects as well as Chronic Effects from Short and Long-term Exposure**

**Carcinogenicity** Titanium dioxide is a possible carcinogen when it appears as a respirable dust.

Chemical Name	ACGIH	IARC	NTP	OSHA
Titanium dioxide 13463-67-7		Group 2B		X

**Chronic toxicity** Individuals with chronic respiratory or skin diseases may be at risk from exposure.

**Numerical Measures of Toxicity- Product**

Not determined

The following values are calculated based on chapter 3.1 of the GHS document .

<b>ATEmix (oral)</b>	3047 mg/kg
<b>ATEmix (dermal)</b>	5000 mg/kg
<b>ATEmix (inhalation-gas)</b>	1750 mg/l
<b>ATEmix (inhalation-dust/mist)</b>	0.1 mg/l

**12. ECOLOGICAL INFORMATION****Ecotoxicity**

An environmental hazard cannot be excluded in the event of unprofessional handling or disposal

Chemical Name	Algae/aquatic plants	Fish	Toxicity to microorganisms	Crustacea
Benzyl alcohol 100-51-6	35: 3 h Anabaena variabilis mg/L EC50	460: 96 h Pimephales promelas mg/L LC50 static 10: 96 h Lepomis macrochirus mg/L LC50 static	EC50 = 50 mg/L 5 min EC50 = 63.7 mg/L 15 min EC50 = 63.7 mg/L 5 min EC50 = 71.4 mg/L 30 min	23: 48 h water flea mg/L EC50

**Persistence and Degradability**

Material is readily biodegradable.

**Bioaccumulation**

The product has low potential for bioaccumulation.

**Mobility**

Not determined.

Chemical Name	Partition coefficient
Benzyl alcohol 100-51-6	1.1

**Other Adverse Effects**

Not determined

**13. DISPOSAL CONSIDERATIONS****Waste Treatment Methods****Disposal of Wastes**

Disposal should be in accordance with applicable regional, national and local laws and regulations.

**Contaminated Packaging**

Disposal should be in accordance with applicable regional, national and local laws and regulations.

**14. TRANSPORT INFORMATION****Note**

Please see current shipping paper for most up to date shipping information, including exemptions and special circumstances

**DOT**

Not regulated

**IATA**

Not regulated

**IMDG**

Not regulated

## 15. REGULATORY INFORMATION

### International Inventories

**TSCA** Listed  
**DSL** Listed

#### **Legend:**

*TSCA - United States Toxic Substances Control Act Section 8(b) Inventory*

*DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances List*

*EINECS/ELINCS - European Inventory of Existing Chemical Substances/European List of Notified Chemical Substances*

*ENCS - Japan Existing and New Chemical Substances IECSC*

*- China Inventory of Existing Chemical Substances KECL -*

*Korean Existing and Evaluated Chemical Substances*

*PICCS - Philippines Inventory of Chemicals and Chemical Substances*

### US Federal Regulations

#### **SARA 311/312 Hazard Categories**

<b>Acute health hazard</b>	Yes
<b>Chronic Health Hazard</b>	Yes
<b>Fire hazard</b>	No
<b>Sudden release of pressure hazard</b>	No
<b>Reactive Hazard</b>	No

### US State Regulations

Chemical Name	California Proposition 65
Titanium dioxide - 13463-67-7	Carcinogen

#### **U.S. State Right-to-Know Regulations**

Chemical Name	New Jersey	Massachusetts	Pennsylvania
Benzyl alcohol 100-51-6		X	X
Titanium dioxide 13463-67-7	X	X	X

### U.S. EPA Label Information

## 16. OTHER INFORMATION

<b><u>NFPA</u></b>	<b>Health Hazards</b>	<b>Flammability</b>	<b>Instability</b>	<b>Special Hazards</b>
	2	1	0	Not determined
<b><u>HMIS</u></b>	<b>Health Hazards</b>	<b>Flammability</b>	<b>Physical Hazards</b>	<b>Personal Protection</b>
	Not determined	Not determined	Not determined	Not determined

**Issue Date** 23-Jun-2011  
**Revision Date** 3-Mar-2018  
**Revision Note** New format

#### **Disclaimer**

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

**End of Safety Data Sheet**