

# SAFETY DATA SHEET



Issue Date 01-Jan-2008

Revision Date 3-Mar-2018

Version 1

## 1. PRODUCT AND COMPANY IDENTIFICATION

### Product Identifier

**Product Name** Marine Strip

### Other Means of Identification

**SDS #** DCI-071

**UN/ID No** UN1823

### Recommended Use of the Chemical and Restrictions on Use

**Recommended Use** Paint remover.

### Details of the Supplier of the Safety Data Sheet

#### **Supplier Address**

Dumond Chemicals, Inc.  
1475 Phoenixville Rd. Suite 18  
West Chester, Pa 19380

#### **Emergency Telephone Number**

**Company Phone Number** 1-609-655-7700  
**Emergency Telephone** INFOTRAC 1-352-323-3500 (International)  
1-800-535-5053 (North America)

## 2. HAZARDS IDENTIFICATION

### Classification


Skin corrosion/irritation	Category 1 Sub-category B
Serious eye damage/eye irritation	Category 1
Specific target organ toxicity (single exposure)	Category 3

### Signal Word

**Danger**

### Hazard Statements

Causes severe skin burns and eye damage  
May cause respiratory irritation. May cause drowsiness or dizziness



**Appearance** :White paste

**Physical State** :Paste

**Odor** :None

**Precautionary Statements - Prevention**

Do not breathe dust/fume/gas/mist/vapors/spray  
 Wash face, hands and any exposed skin thoroughly after handling  
 Wear protective gloves/protective clothing/eye protection/face protection  
 Use only outdoors or in a well-ventilated area

**Precautionary Statements - Response**

Immediately call a POISON CENTER or doctor/physician  
 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing  
 Immediately call a POISON CENTER or doctor/physician  
 IF ON SKIN (or hair): Remove/Take off immediately all contaminated clothing. Rinse skin with water/shower  
 Wash contaminated clothing before reuse  
 IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing  
 Immediately call a POISON CENTER or doctor/physician  
 Call a POISON CENTER or doctor/physician if you feel unwell  
 IF SWALLOWED: Rinse mouth. DO NOT induce vomiting

**Precautionary Statements - Storage**

Store locked up  
 Store in a well-ventilated place. Keep container tightly closed

**Precautionary Statements - Disposal**

Dispose of contents/container to an approved waste disposal plant

### 3. COMPOSITION/INFORMATION ON INGREDIENTS

**Chemical Family** Alkaline.

Chemical Name	CAS No	Weight-%
Calcium hydroxide	1305-62-0	21
Magnesium hydroxide	1309-42-8	16
Sodium hydroxide	1310-73-2	9

### 4. FIRST AID MEASURES

**First Aid Measures**

**Inhalation** Remove to fresh air. Immediate medical attention is required.

**Eye Contact** Immediately flush with plenty of water. After initial flushing, remove any contact lenses and continue flushing for at least 15 minutes. Call a physician immediately.

**Ingestion** If conscious, give water or milk. Do NOT induce vomiting. Get medical attention if necessary.

**Skin Contact** Wash off immediately with plenty of water for at least 15 minutes. Remove contaminated clothing and shoes. Get medical attention if irritation occurs.

**Most Important Symptoms and Effects, both Acute and Delayed**

**Symptoms** May cause dermatitis or irritation in some individuals upon prolonged contact. May cause severe chemical burns with reddening and pain. Causes eye irritation. Causes skin irritation. May cause irritation to the mucous membranes and upper respiratory tract. Ingestion may cause severe burns to mouth, throat or stomach.

**Indication of any Immediate Medical Attention and Special Treatment Needed**

**Note to Physicians** Treat symptomatically. Individuals with chronic respiratory or skin diseases may be at risk from exposure.

**5. FIRE-FIGHTING MEASURES****Suitable Extinguishing Media**

Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.

**Unsuitable Extinguishing Media** Not determined.

**Specific Hazards Arising from the Chemical**

At elevated temperatures, containers may rupture. Contents are corrosive and all personal contact must be avoided.

**Protective Equipment and Precautions for Firefighters**

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear. Cool containers with flooding quantities of water until well after fire is out.

**6. ACCIDENTAL RELEASE MEASURES****Personal Precautions, Protective Equipment and Emergency Procedures**

**Personal Precautions** Use personal protective equipment as required.

**Environmental Precautions** Do not allow into any sewer, on the ground or into any body of water.

**Methods and Material for Containment and Cleaning Up**

**Methods for Containment** Prevent further leakage or spillage if safe to do so.

**Methods for Cleaning Up** Keep in suitable, closed containers for disposal. Wash spill area with plenty of water. Spills and releases may have to be reported to Federal and/or local authorities. See section 15.

**7. HANDLING AND STORAGE****Precautions for Safe Handling**

**Advice on Safe Handling** Handle in accordance with good industrial hygiene and safety practice. Wash face, hands, and any exposed skin thoroughly after handling. Do not breathe dust/fume/gas/mist/vapors/spray. Use only in well-ventilated areas.

**Conditions for Safe Storage, Including any Incompatibilities**

**Storage Conditions** Store in a cool, well ventilated area away from acids and other incompatible substances. Store locked up.

**Incompatible Materials** Acids. Organic halogen compounds. Nitromethane. Flammable liquid. Metals such as aluminum, tin, and zinc.

**8. EXPOSURE CONTROLS/PERSONAL PROTECTION****Exposure Guidelines**

Chemical Name	ACGIH TLV	OSHA PEL	NIOSH IDLH
---------------	-----------	----------	------------

Calcium hydroxide 1305-62-0	TWA: 5 mg/m <sup>3</sup>	TWA: 15 mg/m <sup>3</sup> total dust TWA: 5 mg/m <sup>3</sup> respirable fraction (vacated) TWA: 5 mg/m <sup>3</sup> not in effect as a result of reconsideration	TWA: 5 mg/m <sup>3</sup>
Sodium hydroxide 1310-73-2	Ceiling: 2 mg/m <sup>3</sup>	TWA: 2 mg/m <sup>3</sup> (vacated) Ceiling: 2 mg/m <sup>3</sup>	IDLH: 10 mg/m <sup>3</sup> Ceiling: 2 mg/m <sup>3</sup>

### Appropriate Engineering Controls

**Engineering Controls** Apply technical measures to comply with the occupational exposure limits. Use in a well-ventilated location (eg. local exhaust ventilation, fans). Showers. Eyewash stations.

### Individual Protection Measures, such as Personal Protective Equipment

<b>Eye/Face Protection</b>	Chemical safety goggles/faceshield.
<b>Skin and Body Protection</b>	Wear suitable protective clothing. Rubber, neoprene, or other impervious gloves are recommended to prevent skin contact. Selection of specific items such as face shield, boots, apron, or full body suit will depend on the task.
<b>Respiratory Protection</b>	Ensure adequate ventilation, especially in confined areas. For spray application, a NIOSH approved dust respirator and eye protection.

**General Hygiene Considerations** Handle in accordance with good industrial hygiene and safety practice.

## 9. PHYSICAL AND CHEMICAL PROPERTIES

### Information on Basic Physical and Chemical Properties

<b>Physical State</b>	Paste	<b>Odor</b>	None
<b>Appearance</b>	White paste	<b>Odor threshold</b>	Not determined
<b>Color</b>	White		

<u>Property</u>	<u>Values</u>	<u>Remarks • Method</u>
<b>pH</b>	12	
<b>Melting point/freezing point</b>	Not determined	
<b>Boiling point/boiling range</b>	> 100 °C / >212 °F	
<b>Flash point</b>	None	
<b>Evaporation rate</b>	Same as water	
<b>Flammability (solid, gas)</b>	Not determined	
<b>Flammability limits in air</b>		
<b>Upper flammability limits</b>	Not applicable	
<b>Lower flammability limit</b>	Not applicable	
<b>Vapor pressure</b>	Same as water	@ 20 C
<b>Vapor density</b>	Same as water	
<b>Specific gravity</b>	1.33	
<b>Water solubility</b>	Completely soluble	
<b>Solubility in other solvents</b>	Not determined	
<b>Partition coefficient</b>	Not determined	
<b>Autoignition temperature</b>	None	
<b>Decomposition temperature</b>	Not determined	
<b>Kinematic viscosity</b>	Not determined	
<b>Dynamic viscosity</b>	Not determined	
<b>Explosive properties</b>	Not determined	
<b>Oxidizing Properties</b>	Not determined	

### Other Information

**VOC Content (%)** 0%

VOC Content 0 lbs/gal

## 10. STABILITY AND REACTIVITY

### Reactivity

Not reactive under normal conditions

### Chemical Stability

Stable under recommended storage conditions.

### Possibility of Hazardous Reactions

None under normal processing.

### Conditions to Avoid

Keep out of reach of children.

### Incompatible Materials

Acids. Organic halogen compounds. Nitromethane. Flammable liquid. Metals such as aluminum, tin, and zinc.

### Hazardous Decomposition Products

None known based on information supplied.

## 11. TOXICOLOGICAL INFORMATION

### Information on Likely Routes of Exposure

#### Product Information

<b>Inhalation</b>	Avoid breathing vapors or mists.
<b>Eye Contact</b>	Causes severe eye damage.
<b>Skin Contact</b>	Causes severe skin burns.
<b>Ingestion</b>	Do not taste or swallow.

#### Component Information

Chemical Name	Oral LD50	Dermal LD50	Inhalation LC50
Water 7732-18-5	> 90 mL/kg ( Rat )	-	-
Calcium hydroxide 1305-62-0	= 7340 mg/kg ( Rat )	-	-
Magnesium hydroxide 1309-42-8	= 8500 mg/kg ( Rat )	-	-
Sodium hydroxide 1310-73-2	-	= 1350 mg/kg ( Rabbit )	-

### Information on Physical, Chemical and Toxicological Effects

#### Symptoms

May cause dermatitis or irritation in some individuals upon prolonged contact. May cause severe chemical burns with reddening and pain. May cause skin and eye irritation. May cause irritation to the mucous membranes and upper respiratory tract. May cause burns to mouth and gastrointestinal corrosion.

### Delayed and Immediate Effects as well as Chronic Effects from Short and Long-term Exposure

#### Carcinogenicity

This product does not contain any carcinogens or potential carcinogens as listed by OSHA, IARC or NTP.

**STOT - single exposure** May cause respiratory irritation. May cause drowsiness or dizziness.

**Numerical Measures of Toxicity- Product**

Not determined

The following values are calculated based on chapter 3.1 of the GHS document .

ATEmix (oral) 21097 mg/kg  
ATEmix (dermal) 9445 mg/kg

## 12. ECOLOGICAL INFORMATION

**Ecotoxicity**

An environmental hazard cannot be excluded in the event of unprofessional handling or disposal

Chemical Name	Algae/aquatic plants	Fish	Toxicity to microorganisms	Crustacea
Calcium hydroxide 1305-62-0		160: 96 h <i>Gambusia affinis</i> mg/L LC50 static		
Sodium hydroxide 1310-73-2		45.4: 96 h <i>Oncorhynchus mykiss</i> mg/L LC50 static		

**Persistence and Degradability**

Not determined.

**Bioaccumulation**

Not determined.

**Mobility**

Not determined.

**Other Adverse Effects**

Not determined

## 13. DISPOSAL CONSIDERATIONS

**Waste Treatment Methods**

**Disposal of Wastes** Disposal should be in accordance with applicable regional, national and local laws and regulations.

**Contaminated Packaging** Disposal should be in accordance with applicable regional, national and local laws and regulations.

Chemical Name	California Hazardous Waste Status
Calcium hydroxide 1305-62-0	Corrosive
Sodium hydroxide 1310-73-2	Toxic Corrosive

## 14. TRANSPORT INFORMATION

**Note** Based on package size, product may be eligible for limited quantity exception

**DOT**

<b>UN/ID No</b>	UN1823
<b>Proper Shipping Name</b>	Sodium hydroxide, solid, mixture
<b>Hazard Class</b>	8
<b>Packing Group</b>	II

**IATA**

<b>UN/ID No</b>	UN1823
<b>Proper Shipping Name</b>	Sodium hydroxide, solid, mixture
<b>Hazard Class</b>	8
<b>Packing Group</b>	II

**IMDG**

<b>UN/ID No</b>	UN1823
<b>Proper Shipping Name</b>	Sodium hydroxide, solid, mixture
<b>Hazard Class</b>	8
<b>Packing Group</b>	II

## 15. REGULATORY INFORMATION

**International Inventories****Legend:***TSCA - United States Toxic Substances Control Act Section 8(b) Inventory**DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances List**EINECS/ELINCS - European Inventory of Existing Chemical Substances/European List of Notified Chemical Substances**ENCS - Japan Existing and New Chemical Substances IECSC**- China Inventory of Existing Chemical Substances KECL -**Korean Existing and Evaluated Chemical Substances**PICCS - Philippines Inventory of Chemicals and Chemical Substances***US Federal Regulations****SARA 311/312 Hazard Categories**

Chemical Name	CWA - Reportable Quantities	CWA - Toxic Pollutants	CWA - Priority Pollutants	CWA - Hazardous Substances
Sodium hydroxide 1310-73-2	1000 lb			X
Chemical Name	Hazardous Substances RQs	CERCLA/SARA RQ		Reportable Quantity (RQ)
Sodium hydroxide 1310-73-2	1000 lb			RQ 1000 lb final RQ RQ 454 kg final RQ

**US State Regulations****U.S. State Right-to-Know Regulations**

Chemical Name	New Jersey	Massachusetts	Pennsylvania
Calcium hydroxide 1305-62-0	X	X	X
Sodium hydroxide 1310-73-2	X	X	X

**U.S. EPA Label Information**

<b>16. OTHER INFORMATION</b>
------------------------------

<b><u>NFPA</u></b>	<b>Health Hazards</b> Not determined	<b>Flammability</b> Not determined	<b>Instability</b> Not determined	<b>Special Hazards</b> Not determined
<b><u>HMIS</u></b>	<b>Health Hazards</b> 3	<b>Flammability</b> 0	<b>Physical Hazards</b> 0	<b>Personal Protection</b> Not determined

Issue Date	01-Jan-2008
Revision Date	3-Mar-2018
Revision Note	New format

**Disclaimer**

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

**End of Safety Data Sheet**