

SAFETY DATA SHEET



Issue Date 14-Jun-2011

Revision Date 3-Mar-2018

Version 1

1. PRODUCT AND COMPANY IDENTIFICATION

Product Identifier

Product Name Peel Away Deck Stripper

Other Means of Identification

SDS # DCI-055

UN/ID No UN3266

Recommended Use of the Chemical and Restrictions on Use

Recommended Use Stripping solution.

Details of the Supplier of the Safety Data Sheet

Supplier Address

Dumond Chemicals, Inc.
1475 Phoenixville Rd. Suite 18
West Chester, Pa 19380

Emergency Telephone Number

Company Phone Number 1-609-655-7700
Emergency Telephone INFOTRAC 1-352-323-3500 (International)
1-800-535-5053 (North America)

2. HAZARDS IDENTIFICATION

Classification

Acute toxicity - Dermal	Category 4
Acute toxicity - Inhalation (Dusts/Mists)	Category 4
Skin corrosion/irritation	Category 1 Sub-category B
Serious eye damage/eye irritation	Category 1

Signal Word

Danger

Hazard Statements

Harmful if inhaled
Causes severe skin burns and eye damage
Harmful in contact with skin



Appearance Purple liquid	Physical State Liquid	Odor Mild
---------------------------------	------------------------------	------------------

Precautionary Statements - Prevention
Wear protective gloves/protective clothing/eye protection/face protection
Use only outdoors or in a well-ventilated area
Do not breathe dust/fume/gas/mist/vapors/spray
Wash face, hands and any exposed skin thoroughly after handling

Precautionary Statements - Response

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing
Immediately call a POISON CENTER or doctor/physician
Wash contaminated clothing before reuse
IF ON SKIN (or hair): Remove/Take off immediately all contaminated clothing. Rinse skin with water/shower
IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing
Call a POISON CENTER or doctor/physician if you feel unwell
Immediately call a POISON CENTER or doctor/physician
IF SWALLOWED: Rinse mouth. DO NOT induce vomiting

Precautionary Statements - Storage

Store locked up

Precautionary Statements - Disposal

Dispose of contents/container to an approved waste disposal plant

3. COMPOSITION/INFORMATION ON INGREDIENTS

Chemical Name	CAS No	Weight-%
Sodium hydroxide	1310-73-2	5-10
Sodium metasilicate	6834-92-0	1-5
2-Butoxyethanol	111-76-2	1-5

4. FIRST AID MEASURES**First Aid Measures**

Inhalation	Remove to fresh air. If breathing has stopped, give artificial respiration. Get medical attention immediately.
Eye Contact	Immediately flush with plenty of water. After initial flushing, remove any contact lenses and continue flushing for at least 15 minutes. Immediate medical attention is required.
Ingestion	If conscious, give 1 glass of water or milk to dilute. Do NOT induce vomiting. Never give anything by mouth to a person who is unconscious or convulsing. Get medical attention if necessary.
Skin Contact	Wash off immediately with plenty of water for at least 15 minutes. Wash area with soap and water. Remove contaminated clothing and shoes. Get medical attention immediately.

Most Important Symptoms and Effects, both Acute and Delayed

Symptoms May cause irritation to the mucous membranes and upper respiratory tract. May cause severe chemical burns with reddening and pain. May cause dermatitis or irritation in some individuals upon prolonged contact. May cause gastrointestinal irritation, nausea, diarrhea, and vomiting.

Indication of any Immediate Medical Attention and Special Treatment Needed

Note to Physicians Treat symptomatically. Individuals with chronic respiratory or skin diseases may be at risk from exposure.

5. FIRE-FIGHTING MEASURES**Suitable Extinguishing Media**

Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.

Unsuitable Extinguishing Media Not determined.

Specific Hazards Arising from the Chemical

At elevated temperatures, containers may rupture. Contact with metals may evolve flammable hydrogen gas. Contents are corrosive and all personal contact must be avoided. Cool containers exposed to flames with water until well after the fire is out.

Protective Equipment and Precautions for Firefighters

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear.

6. ACCIDENTAL RELEASE MEASURES**Personal Precautions, Protective Equipment and Emergency Procedures**

Personal Precautions Wear protective gloves/protective clothing and eye/face protection.

Environmental Precautions See Section 12 for additional ecological information. Do not allow into any sewer, on the ground or into any body of water.

Methods and Material for Containment and Cleaning Up

Methods for Containment Collect using an inert absorbent material and place in appropriate containers for disposal.

Methods for Cleaning Up Keep in suitable, closed containers for disposal. Wash spill area with plenty of water. Spills and releases may have to be reported to Federal and/or local authorities. See section 15.

7. HANDLING AND STORAGE**Precautions for Safe Handling**

Advice on Safe Handling Handle in accordance with good industrial hygiene and safety practice. Avoid contact with skin and eyes. Wash thoroughly after handling before eating, drinking, smoking, or using toilet facilities. Use personal protection recommended in Section 8. Use only in well-ventilated areas. Do not breathe dust/fume/gas/mist/vapors/spray.

Conditions for Safe Storage, Including any Incompatibilities

Storage Conditions Protect container from physical damage. Store in a cool, well ventilated area away from acids and other incompatible substances. Keep container tightly closed. Store locked up.

Incompatible Materials Strong oxidizing agents. Alkali. Acids. Organic halogen compounds. Ammonia. Nitromethane. Organic amines. Reducing sugars.

8. EXPOSURE CONTROLS/PERSONAL PROTECTION**Exposure Guidelines**

Chemical Name	ACGIH TLV	OSHA PEL	NIOSH IDLH
Sodium hydroxide 1310-73-2	Ceiling: 2 mg/m ³	TWA: 2 mg/m ³ (vacated) Ceiling: 2 mg/m ³	IDLH: 10 mg/m ³ Ceiling: 2 mg/m ³
Sodium metasilicate 6834-92-0	2 mg/m ³	2 mg/m ³	-
2-Butoxyethanol 111-76-2	TWA: 20 ppm	TWA: 50 ppm TWA: 240 mg/m ³ (vacated) TWA: 25 ppm (vacated) TWA: 120 mg/m ³ (vacated) S* S*	IDLH: 700 ppm TWA: 5 ppm TWA: 24 mg/m ³

Appropriate Engineering Controls

Engineering Controls

Good general room ventilation (equivalent to outdoors) should be adequate under normal conditions. If the recommended exposure limit is exceeded increased mechanical ventilation such as local exhaust may be required. For operations where contact can occur, a safety shower and an eye wash facility should be available.

Individual Protection Measures, such as Personal Protective Equipment

Eye/Face Protection

Chemical safety goggles/faceshield.

Skin and Body Protection

Wear impervious protective clothing, including boots, gloves, lab coat, apron or coveralls, as appropriate, to prevent skin contact.

Respiratory Protection

Ensure adequate ventilation, especially in confined areas. For spray application, a NIOSH approved organic vapor respirator may be used. If exposure limits are exceeded or irritation is experienced, NIOSH/MSHA approved respiratory protection should be worn. Positive-pressure supplied air respirators may be required for high airborne contaminant concentrations. Respiratory protection must be provided in accordance with current local regulations.

General Hygiene Considerations

Handle in accordance with good industrial hygiene and safety practice.

9. PHYSICAL AND CHEMICAL PROPERTIES

Information on Basic Physical and Chemical Properties

Physical State	Liquid	Odor	Mild
Appearance	Purple liquid	Odor threshold	Not determined
Color	Purple		

<u>Property</u>	<u>Values</u>	<u>Remarks • Method</u>
pH	12	
Melting point/freezing point	Not available	
Boiling point/boiling range	100 °C / 212 °F	
Flash point	None	
Evaporation rate	Similar to water	
Flammability (solid, gas)	Not determined	
Flammability limits in air		
Upper flammability limits	Not applicable	
Lower flammability limit	Not applicable	
Vapor pressure	Not determined	
Vapor density	Not determined	
Specific gravity	1.1	
Water solubility	Completely soluble	
Solubility in other solvents	Not determined	
Partition coefficient	Not available	

Autoignition temperature	Not established
Decomposition temperature	Not determined
Kinematic viscosity	Not determined
Dynamic viscosity	Not determined
Explosive properties	Not determined
Oxidizing Properties	Not determined

Other Information

VOC Content (%)	< 2%
VOC Content	0.20 lbs/gal

10. STABILITY AND REACTIVITY

Reactivity

Not reactive under normal conditions

Chemical Stability

Stable under recommended storage conditions.

Possibility of Hazardous Reactions

None under normal processing.

Hazardous polymerization Hazardous polymerization does not occur.

Conditions to Avoid

Contact with metals such as aluminum, tin, lead, and zinc may produce hydrogen gas.

Incompatible Materials

Strong oxidizing agents. Alkali. Acids. Organic halogen compounds. Ammonia. Nitromethane. Organic amines. Reducing sugars.

Hazardous Decomposition Products

Carbon monoxide. Carbon dioxide (CO₂). sodium oxides. Ammonia. Acrylic acid. Polyacrylates. Reactions with metals may produce hydrogen gas.

11. TOXICOLOGICAL INFORMATION

Information on Likely Routes of Exposure**Product Information**

Inhalation	Harmful if inhaled.
Eye Contact	Causes severe eye damage.
Skin Contact	Harmful in contact with skin. Causes severe skin burns.
Ingestion	Do not taste or swallow.

Component Information

Chemical Name	Oral LD50	Dermal LD50	Inhalation LC50
Water 7732-18-5	> 90 mL/kg (Rat)	-	-
Sodium hydroxide 1310-73-2	-	= 1350 mg/kg (Rabbit)	-
Sodium metasilicate 6834-92-0	= 600 mg/kg (Rat)	-	-

2-Butoxyethanol 111-76-2	= 470 mg/kg (Rat)	= 2270 mg/kg (Rat) = 220 mg/kg (Rabbit)	= 2.21 mg/L (Rat) 4 h = 450 ppm (Rat) 4 h
-----------------------------	---------------------	---	---

Information on Physical, Chemical and Toxicological Effects**Symptoms**

May cause irritation to the mucous membranes and upper respiratory tract. May cause severe chemical burns with reddening and pain. May cause dermatitis or irritation in some individuals upon prolonged contact. May cause gastrointestinal irritation, nausea, diarrhea, and vomiting.

Delayed and Immediate Effects as well as Chronic Effects from Short and Long-term Exposure**Carcinogenicity**

Group 3 IARC components are "not classifiable as human carcinogens".

Chemical Name	ACGIH	IARC	NTP	OSHA
2-Butoxyethanol 111-76-2	A3	Group 3		

Numerical Measures of Toxicity- Product

Not determined

The following values are calculated based on chapter 3.1 of the GHS document .

ATEmix (oral) 8787 mg/kg

ATEmix (inhalation-gas) 20746 mg/l

12. ECOLOGICAL INFORMATION

Ecotoxicity

An environmental hazard cannot be excluded in the event of unprofessional handling or disposal

Chemical Name	Algae/aquatic plants	Fish	Toxicity to microorganisms	Crustacea
Sodium hydroxide 1310-73-2		45.4: 96 h Oncorhynchus mykiss mg/L LC50 static		
Sodium metasilicate 6834-92-0		210: 96 h Brachydanio rerio mg/L LC50 semi-static 210: 96 h Brachydanio rerio mg/L LC50		216: 96 h Daphnia magna mg/L EC50
2-Butoxyethanol 111-76-2		1490: 96 h Lepomis macrochirus mg/L LC50 static 2950: 96 h Lepomis macrochirus mg/L LC50		1698 - 1940: 24 h Daphnia magna mg/L EC50 1000: 48 h Daphnia magna mg/L EC50

Persistence and Degradability

Not determined.

Bioaccumulation

Not determined.

Mobility

Not determined.

Chemical Name	Partition coefficient
2-Butoxyethanol 111-76-2	0.81

Other Adverse Effects

Not determined

13. DISPOSAL CONSIDERATIONS

Waste Treatment Methods

Disposal of Wastes	Disposal should be in accordance with applicable regional, national and local laws and regulations.
Contaminated Packaging	Disposal should be in accordance with applicable regional, national and local laws and regulations.

Chemical Name	California Hazardous Waste Status
Sodium hydroxide 1310-73-2	Toxic Corrosive

14. TRANSPORT INFORMATION

Note Based on package size, product may be eligible for limited quantity exception

DOT

UN/ID No	UN3266
Proper Shipping Name	Corrosive liquid, basic, inorganic, n.o.s. (sodium hydroxide, sodium metasilicate)
Hazard Class	8
Packing Group	II

IATA

UN/ID No	UN3266
Proper Shipping Name	Corrosive liquid, basic, inorganic, n.o.s. (sodium hydroxide, sodium metasilicate)
Hazard Class	8
Packing Group	II

IMDG

UN/ID No	UN3266
Proper Shipping Name	Corrosive liquid, basic, inorganic, n.o.s. (sodium hydroxide, sodium metasilicate)
Hazard Class	8
Packing Group	II

15. REGULATORY INFORMATION

International Inventories

TSCA Listed
DSL Listed

Legend:

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory

DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances List

EINECS/ELINCS - European Inventory of Existing Chemical Substances/European List of Notified Chemical Substances

ENCS - Japan Existing and New Chemical Substances IECSC

- China Inventory of Existing Chemical Substances KECL -

Korean Existing and Evaluated Chemical Substances

PICCS - Philippines Inventory of Chemicals and Chemical Substances

US Federal Regulations

Chemical Name	CAS No	Weight-%	SARA 313 - Threshold Values %
2-Butoxyethanol - 111-76-2	111-76-2	1-5	1.0

SARA 311/312 Hazard Categories

Acute health hazard Yes
Chronic Health Hazard Yes
Fire hazard No
Sudden release of pressure hazard No
Reactive Hazard No

Chemical Name	CWA - Reportable Quantities	CWA - Toxic Pollutants	CWA - Priority Pollutants	CWA - Hazardous Substances
Sodium hydroxide 1310-73-2	1000 lb			X
Chemical Name	Hazardous Substances RQs	CERCLA/SARA RQ	Reportable Quantity (RQ)	
Sodium hydroxide 1310-73-2	1000 lb		RQ 1000 lb final RQ RQ 454 kg final RQ	

US State Regulations

U.S. State Right-to-Know Regulations

Chemical Name	New Jersey	Massachusetts	Pennsylvania
Sodium hydroxide 1310-73-2	X	X	X
2-Butoxyethanol 111-76-2	X	X	X

U.S. EPA Label Information

16. OTHER INFORMATION

<u>NFPA</u>	Health Hazards 3	Flammability 0	Instability 0	Special Hazards Not determined
<u>HMIS</u>	Health Hazards Not determined	Flammability Not determined	Physical Hazards Not determined	Personal Protection Not determined

Issue Date	14-Jun-2011
Revision Date	3-Mar-2018
Revision Note	New format

Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

End of Safety Data Sheet